

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S9	1	"20050172040".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 11:31
S10	34	(multiple many plurality "more than") with map\$4 with (operating adj system) with function	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:35
S11	2	"6446255".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 10:43
S12	28	(multiple many plurality "more than") with map\$4 with (operating adj system) with support\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:22
S13	11	map\$4 with (operating adj system) same (configuration adj space)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:02
S14	14	(operating adj system) with (configuration space) with pci with support\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:03
S15	14	map\$4 with bus adj function	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:23
S16	20	function adj configuration adj space	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 16:46

S17	363	(multiple many plurality "more than") with (single one) same (configuration adj2 space)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:38
S18	2	S17 same operating adj system	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:37
S19	84018	(multiple many plurality "more than") with (single one) with function	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:38
S20	28	S19 same (configuration adj2 space)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:44
S21	653	(configuration adj2 space).ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:00
S22	24176	(operating adj system).ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:45
S23	21	S21 and S22	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:45
S24	46	(configuration adj2 space and function).ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:08

S25	8	("5,768,619" "6,023,736" "6,275,888" "6,647,434").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:16
S26	2	"5,884,027".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:59
S27	10238	710/8-10,100,104,300,305, 313-315.ccls. 713/1,2.ccls. 709/220,222.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:21
S28	32	S21 and S27	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:00
S29	76	(configuration adj2 space same function) same (reboot\$3 reset\$3 (power\$3 adj up) (start\$3 adj up))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:14
S30	17	S27 and S29	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:09
S31	59	S29 not S30	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:14
S32	35	S17 and S27	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:21

S33	6	"6023736".pn. "5832238".pn. "5812820".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:39
S34	1	physical adj device adj configuration adj space	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 16:57
S35	2626	(os (operating adj system)) near5 (multiple many plurality "more than") with function	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 16:58
S36	157	S35 and S27	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 16:58
S37	24	S35 and (configuration adj2 space)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 16:59
S38	0	chen-\$.in. and "20020704".ay.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:30
S39	0	chen-\$.in. and "07042002".ay.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:30
S40	0	"07042002".ay.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:30

S41	0	"07042002".pd.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:30
S42	147	chen-\$.in. and "20020704".pd.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:30
S43	0	S42 and configuration adj2 space	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:14
S44	10238	710/8-10,100,104,300,305, 313-315.ccls. 713/1,2.ccls. 709/220,222.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:17
S45	1	S42 and S44	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:33
S46	2	"20020087745".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:34
S47	11	("5832238").URPN.	USPAT	OR	ON	2005/09/21 10:04
S48	46	function adj configuration adj register	USPAT	OR	ON	2005/09/21 10:04
S49	3312	(multiple many plurality "more than") with map\$4 with function	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:22
S50	5195	(multiple many plurality "more than") with map\$4 with single adjfunction	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:22

S51	4	(multiple many plurality "more than") with map\$4 with single adj function	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:23
S52	31	(multiple many plurality "more than") with map\$4 with one adj function	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:13
S53	3261	(multiple many plurality "more than" several two) with map\$4 near5 function	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:13
S54	1479	(multiple many plurality "more than" several two) with map\$4 near5 register	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:20
S55	23	S53 and configuration adj2 space	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:14
S56	67	S54 and configuration adj2 space	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:28
S57	14	S44 and S56	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:17
S58	53	S56 not S57	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:18

S59	4961373	(determin\$5 detect\$3)with (os (operating system) flag) with (multiple many plurality "more than" several two) with map\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:28
S60	2789	(determin\$5 detect\$3) with (os (operating system) flag) with (multiple many plurality "more than" several two) with map\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:31
S61	2	S60 same ( configuration adj2 space)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:32
S62	11	S60 and (configuration adj2 space)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:30
S63	5	S60 same pci	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:30
S64	17014	(os (operating system) flag) with (multiple many plurality "more than" several two) with map\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:32
S65	2539	(os (operating adj system) flag) with (multiple many plurality "more than" several two) with map\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:32
S66	10	S65 same ( configuration adj2 space)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:33

S67	44	S65 and ( configuration adj2 space)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:38
S68	9	S65 and (pci adj function)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:21
S69	198	(pci adj function)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:40
S70	61	S44 and S69	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:40
S71	19	(pci adj function) same (operating adj system)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:55
S72	1	(pci adj function) and (hp\$1ux)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 13:48
S73	8	"6789138" "6880022" "6725284" "6643721"	USPAT	OR	ON	2005/09/21 14:19
S74	259	allocat\$3 near3 (multiple many plurality "more than" several two) near5 register	USPAT	OR	ON	2005/09/21 14:20
S75	3	allocat\$3 near3 (multiple many plurality "more than" several two) near5 (configuration adj register)	USPAT	OR	ON	2005/09/21 14:33
S76	50	(operating adj system) with (configuration adj register)	USPAT	OR	ON	2005/09/21 14:21



S77	37	S76 and pci	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:22
S78	12	S76 same pci	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:22
S79	13	(multiple many plurality "more than" several two) adj2 devices with (configuration adj register)	USPAT	OR	ON	2005/09/21 14:37
S80	20	(multiple many plurality "more than" several two) adj2 devices with (configuration adj register)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:41
S81	0	S79 not S80	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:38
S82	7	S80 not S79	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:38
S83	17	allocat\$3 with (multiple many plurality "more than" several two) near5 (configuration adj register)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:00
S84	10	shar\$3 near3 configuration near3 header	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:01
S85	44	shar\$3 near3 configuration adj register	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 15:04

S86	23	shar\$3 near3 configuration adj space	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 16:01
S87	1	operating adj system with support\$3 with map\$3 with configuration adj register	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 16:01